

**CLERMONT COUNTY SEWER DISTRICT  
COMMERCIAL & INDUSTRIAL  
Sewer Use General Questionnaire**

The Clermont County Sewer District is required by Federal Regulations to determine what types of non-domestic wastewaters are discharged into County owned sewers. Please complete this form and return to Clermont County Water Resources at 4400 Haskell Lane, Batavia, Ohio 45103 (fax 513-732-7310) (Section 6111.05 of the Ohio Revised Code provides for the acquisition of this data by the County Sanitary Engineer.) Please type (or neatly print.) Use other side or extra paper if needed.

Sewer Billing Name: \_\_\_\_\_ Acct. No.: \_\_\_\_\_

Company or Business Name: \_\_\_\_\_

Billing Address: \_\_\_\_\_ Zip Code: \_\_\_\_\_

Premises Address: \_\_\_\_\_ Zip Code: \_\_\_\_\_

Name & Title of Signing Official: \_\_\_\_\_

Nature of Business at Premises: \_\_\_\_\_

Telephone Number: (\_\_\_\_) \_\_\_\_\_ Fax Number (\_\_\_\_) \_\_\_\_\_ Number of Employees: \_\_\_\_\_

Business Schedule: Hours/Day: \_\_\_\_\_ Days/Week: M T W T F S S

Comments: \_\_\_\_\_

Total Amount of All Wastewater (sanitary + process) discharged to Sanitary Sewers: \_\_\_\_\_ Gals per day

Applicable SIC codes: \_\_\_\_\_  
\_\_\_\_\_

**Wastewater Characteristics:**

1. Food Wastes: Yes \_\_\_\_\_ No \_\_\_\_\_ Garbage Disposal: Yes \_\_\_\_\_ No \_\_\_\_\_

2. Cooling Water: Yes \_\_\_\_\_ No \_\_\_\_\_ Amount: \_\_\_\_\_ Gallons per day

3. Air Pollution Control Devices Wastes: Yes \_\_\_\_\_ No \_\_\_\_\_

If yes, describe: \_\_\_\_\_

4. Manufacturing and/or Process Wastes or Wastewater: Yes \_\_\_\_\_ No \_\_\_\_\_

If yes, describe: \_\_\_\_\_

5. Metal or Plastic Finishing or Molding Wastes: Yes \_\_\_\_\_ No \_\_\_\_\_ If yes, describe: \_\_\_\_\_

6. Photographic Wastes: Yes \_\_\_\_\_ No \_\_\_\_\_ If yes, indicate amount developed per day in square ft: \_\_\_\_\_

7. List any Pretreatment Devices Present at the Premises:

Oil/Grease Interceptor or Trap: Yes \_\_\_\_\_ No \_\_\_\_\_ Capacity: \_\_\_\_\_ (Gallons)

Neutralization Tank: Yes \_\_\_\_\_ No \_\_\_\_\_ Capacity: \_\_\_\_\_ (Gallons)

Settling Tank: Yes \_\_\_\_\_ No \_\_\_\_\_ Capacity: \_\_\_\_\_ (Gallons)

Other: Yes \_\_\_\_\_ No \_\_\_\_\_ Capacity: \_\_\_\_\_ (Gallons)

8. Chemicals Used in Processes or Stored at these Premises: Yes \_\_\_\_\_ No \_\_\_\_\_

If yes, list: \_\_\_\_\_

Are there any Discharges to Storm Sewers other than Storm water: Yes \_\_\_\_\_ No \_\_\_\_\_

If yes, describe & Indicate OEPA permit no: \_\_\_\_\_

If Process Waste Sludges are Produced, how are they Disposed? \_\_\_\_\_

Signature: \_\_\_\_\_ Date: \_\_\_\_\_

---

**For Sewer District Use Only**

Sewer System: \_\_\_\_\_ Appropriate Sampling Location (Y/N): \_\_\_\_\_

Issue Permit: \_\_\_\_\_

Additional Information Required: \_\_\_\_\_

Comments: \_\_\_\_\_

County Signature: \_\_\_\_\_ Date: \_\_\_\_\_